


Customer name:



Transmission ratio	( A ):1	Mass moments of inertia	( B )Kg.cm <sup>2</sup>																																				
Rated output torque	( C )Nm	Max.Output torque	( D )Nm																																				
Rated input speed	4000rpm	Max input speed	8000rpm		10	2.57	230	414	Sign/Date																														
Max.radial force	6100N	Max.axial force	3350N		7	2.62	300	540			8	2.58	260	468																									
Efficiency	$\geq 97\%$	Operating temperature	-20°~+90°		5	2.71	330	594			6	2.65	310	558																									
Mounting position	Any	Lubrication method	Synthetic grease	Ratio	4	2.74	290	522			3	3.25	208	374																									
Weight $\pm 3\%$	6.9Kg	Service life	20000h	Ratio	A	B	C	D		Ratio	A	B	C	D																									
Standard backlash	$\leq 5$ arcmin	Protection class	IP65	NOTE								Precision Planetary Reducer		GE120																									
Motor power		Noise level	63dB	$\phi 32-\phi 28$								GE120-L1																											
Motor dimensions												Shaft Type		Precision																									
				<table border="1"> <tr> <td>Mark</td> <td>No.</td> <td>Sign</td> <td>Date</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>DRAW</td> <td></td> <td></td> </tr> <tr> <td></td> <td>CHEC</td> <td></td> <td></td> </tr> <tr> <td></td> <td>APPR</td> <td></td> <td></td> </tr> <tr> <td></td> <td>RULE</td> <td></td> <td></td> </tr> </table>				Mark	No.	Sign	Date						DRAW				CHEC				APPR				RULE										
Mark	No.	Sign	Date																																				
	DRAW																																						
	CHEC																																						
	APPR																																						
	RULE																																						